




Garlic Cracker Mod. B

The highest cracking and grading
cloves capacity

Details that make the difference.




Big feeder hopper . Adjustable belt speed. Its 500 Kg capacity give autonomy for continuous garlic feeding to the cracker during enough time to be refilled and managing the sorted cloves boxes by only one person.



New efficient and safe cloves cracker design. The new cracker design improve the cracking capacity without damage the cloves even with different bulb sizes. Its additional number of brushes and its studied disposition unload the cloves separated from bulb skins, roots..



4 Great Diameter concentric drums cloves grader. The special grader with five separated exits, load the big boxes with regular cloves sizes at highest capacity. Cloves graded ready to be planted.



6 metres long inspection belt.

The widest inspection belt let to the workers find the cloves non valid to be planted and remove them before grading



Powerful vacuum of waste.

Two powerful fans vacuum the skins, roots and other elements from the belt. The vacuum capacity can be adjusted to avoid eliminate good seed cloves.



Precise grading.

The different cloves sizes are easily stored in different boxes for industrial applications of to be planted with the same agronomical requirements.

Design prepared for high performance.

more than...
1.300 Kg/h



The JJ Broch garlic cracker Mo B has been designed for big production and high availability of garlic cloves graded by sizes to be planted with reduced labour costs.



CAREFUL cracking

Adjustable at any bulb size.



The splitter belts separation is adjusted to the bulb size. The progressive pressure/friction combination crack the bulbs but take care the cloves.



DEALER

* Optional Equipment

- * Waste material extraction.
- * Twin cloves 4 concentric drums grader.

| SPECIFICATIONS | Total length (cm) | Performance (Kg/h) | Tension (V) |
|----------------|-------------------|---------------------|-------------|
| LIDE-B | 1.650 | more than 1.300 Kg. | 380 |

| SPECIFICATIONS | Length (cm) | Width (cm) | Power (C.V.) |
|----------------|-------------|------------|--------------|
| Feeder | 240 | 175 | 0.5 |
| Thresher | 160 | 82 | 1.5 |
| Suction | 45 | 45 | 2 |
| Selection belt | 300 | 70 | 0.5 |
| Feeder S | 296 | 106 | 0.5 |
| Sorter | 250 | 207 | 0.5 |

be garlic,
be broch

